

Configura[®] Comfort

Assessment form
and information guide



Accora

User group

Configura Comfort is appropriate for:


- Users at risk of pressure damage (subject to professional assessment, users with current pressure damage)
- Ambulant, semi-ambulant and non-ambulant users
- Accommodation and encouragement of good posture
- Users with neurological conditions
- Users with a kyphosis
- Users with oedematous legs and / or fluid build-up

Configura Comfort is not appropriate for:


- Demanding postural requirements
- Users with fixtures and contractures
- Users with a limited extension at the knees
- Users who need to be transported from room to room
- Bariatric users

Intended environment:


- Domestic use
- Care homes or nursing homes



Size



Pressure



Posture

Prescriber details

Name:.....

Department:.....

Address:.....

Telephone:.....

Email:.....

User details

Name:.....

Address:.....

Telephone:.....

Email:.....

User weight:.....

Pressure care:.....

Posture:.....

Mobility:.....

Diagnosis:.....

Prognosis:.....

Transfer method:.....

Current seating:.....

Problems with current seating:.....

Notes:.....

.....

Configura[®] Comfort

Configura Comfort is a revolutionary chair providing an unprecedented level of functionality and cost-effectiveness.

'Reduced shear' recline to maximise pelvic stability


Sliding armrest to facilitate transfer aids

Braked castors

Pressure reducing fabric on backrest and armrest as standard

Integrated self-supply overlay for easy integration of existing cushions

Vinyl fabric option




*For further information on the integrated self-supply overlay please see page 12.
For details on Comfort Mediatric (35 stone weight capacity) see page 6.

Size

Key thoughts:

- 3 measurements are required for selecting a chair; seat depth, seat height and seat width.
- When selecting a chair size, prioritise the chair measurements in the following order: seat depth, seat height then seat width. This will ensure the selected size is the right overall proportion for the user.
- If you cannot find the size you need, check out the other chairs in our range, or contact us as we may be able to supply a special size.



Chair size	Part number	Seat depth	Select	Seat height	Select	Seat width	Weight capacity
Extra Small	DT - CHAIR-0-CMI-040 VN - CHAIR-0-CMI-030VN	450 mm (18")	<input type="checkbox"/>	375 mm (15")	<input type="checkbox"/>	400 mm (16")	25 stone (160 kg)
				400 mm (16")	<input type="checkbox"/>		
		500 mm (20")	<input type="checkbox"/>	425 mm (17")	<input type="checkbox"/>		
				450 mm (18")	<input type="checkbox"/>		
Small	DT - CHAIR-0-CMI-140 VN - CHAIR-0-CMI-130VN	450 mm (18")	<input type="checkbox"/>	375 mm (15")	<input type="checkbox"/>	450 mm (18")	25 stone (160 kg)
				400 mm (16")	<input type="checkbox"/>		
		500 mm (20")	<input type="checkbox"/>	425 mm (17")	<input type="checkbox"/>		
				450 mm (18")	<input type="checkbox"/>		
Small Tall	DT - CHAIR-T-CMI-140 VN - CHAIR-T-CMI-130VN	450 mm (18")	<input type="checkbox"/>	425 mm (17")	<input type="checkbox"/>	450 mm (18")	25 stone (160 kg)
				450 mm (18")	<input type="checkbox"/>		
		500 mm (20")	<input type="checkbox"/>	475 mm (19")	<input type="checkbox"/>		
				500 mm (20")	<input type="checkbox"/>		
Medium	DT - CHAIR-0-CMI-240 VN - CHAIR-0-CMI-230VN	450 mm (18")	<input type="checkbox"/>	425 mm (17")	<input type="checkbox"/>	500 mm (20")	25 stone (160 kg)
				450 mm (18")	<input type="checkbox"/>		
		500 mm (20")	<input type="checkbox"/>	475 mm (19")	<input type="checkbox"/>		
				500 mm (20")	<input type="checkbox"/>		
Medium Low Profile	DT - CHAIR-LP-CMI-240 VN - CHAIR-LP-CMI-230VN	450 mm (18")	<input type="checkbox"/>	375 mm (15")	<input type="checkbox"/>	500 mm (20")	25 stone (160 kg)
				400 mm (16")	<input type="checkbox"/>		
		500 mm (20")	<input type="checkbox"/>	425 mm (17")	<input type="checkbox"/>		
				450 mm (18")	<input type="checkbox"/>		
Large	DT - CHAIR-0-CMI-340 VN - CHAIR-0-CMI-330VN	450 mm (18")	<input type="checkbox"/>	425 mm (17")	<input type="checkbox"/>	550 mm (22")	25 stone (160 kg)
				450 mm (18")	<input type="checkbox"/>		
		500 mm (20")	<input type="checkbox"/>	475 mm (19")	<input type="checkbox"/>		
				500 mm (20")	<input type="checkbox"/>		
Large Low Profile	DT - CHAIR-LP-CMI-340 VN - CHAIR-LP-CMI-330VN	450 mm (18")	<input type="checkbox"/>	375 mm (15")	<input type="checkbox"/>	550 mm (22")	25 stone (160 kg)
				400 mm (16")	<input type="checkbox"/>		
		500 mm (20")	<input type="checkbox"/>	425 mm (17")	<input type="checkbox"/>		
				450 mm (18")	<input type="checkbox"/>		


The tilt-in-space riser recliner with a 35-stone weight capacity


Based on the Comfort and includes the same clinical benefits and adjustment options but with a higher weight capacity.




Chair size	Part number	Seat depth	Seat height	Seat width	Weight capacity
Mediatric 24	DT - CHAIR-0-CM4-440 VN - CHAIR-0-CM4-430VN	450 mm (18")	375 mm (15")	600 mm (24")	35 stone (220 kg)
			400 mm (16")		
		500 mm (20")	425 mm (17")		
			450 mm (18")		
Mediatric 26	DT - CHAIR-0-CM4-540 VN - CHAIR-0-CM4-530VN	450 mm (18")	375 mm (15")	650 mm (26")	35 stone (220 kg)
			400 mm (16")		
		500 mm (20")	425 mm (17")		
			450 mm (18")		

Configura Comfort – Size adjustment accessories

Depth adjustment kit		
50 mm (2") Code: KITDA-0-CFI-000	Select	
Decreases depth by further 51 mm (2").	<input type="checkbox"/>	

Lowering kit		
25 mm (1") Code: KITHA-0-CM1-200	Select	
Lowers chair by 25 mm / 1 inch. Fits all sizes. Please note: the castors are removed when the lowering kit is added.	<input type="checkbox"/>	


Height adjustment kit		
25 mm (1") Code: KITHA-0-CM1-000	Select	
Increases seat height by 25 mm (1"), fits all sizes. Castors are raised off the ground when the 25 mm (1") Height Adjustment Kit is used.	<input type="checkbox"/>	
50 mm (2") Code: KITHA-0-CM1-100	Select	
Increases seat height by 51 mm (2"), fits all sizes. Castors are raised off the ground when the 51 mm (2") Height Adjustment Kit is used.	<input type="checkbox"/>	

Please note: All size adjustment accessories are compatible with Mediatric.

Pressure

Key thoughts:

- Selection of pressure cushions is a clinical decision which involves many variables including a risk assessment tool. Professional input from a Tissue Viability Nurse or District Nurse may be required at this stage.
- Vapour permeable fabric as standard on seat base, legrest, backrest and armrests.



Pressure care options

Visco cushion (std)	
Code: standard	
Prevention: Heat-sensitive memory foam molds to the user, providing maximum support and pressure reduction. Suitable for users who are at risk of pressure damage. Weight capacity: 160 kg (25 stone).	
Select	

Integrated self-supply	
Code: standard	
Allows integration of self-supply cushion of approximate dimensions 17.5" x 17.5" x 3". (Professional input required. See page 12 for instructions).	
Select	


CushionAir cushion	
Code: KITCA-0-CMI-100	
Management: powered air cushion for users who have developed pressure damage. This is not available on the extra small. Weight capacity: 160 kg (25 stone).	
Select	

Duo cushion	
Code: KITCA-M-DU1-000	
Management: powered hybrid air cushion for users who have developed pressure damage. This is not available on the extra small. Weight capacity: 160 kg (25 stone).	
Select	

Posture


Key thoughts:

- Tilt-in-space can significantly improve midline sitting, so increased lateral support may not be necessary if the user tends to slump mildly to one side.
- The Multi-adjustable Pillow Backrest is more adjustable than the Lateral Support Backrest and Adjustable Lateral Support System because filling can be removed to accommodate different postural requirements.



Posture management options

Multi-adjustable Pillow Backrest (std)	
Code: KITMAP-0-CM1-120	
Accommodation: accommodates posture that has already developed i.e. kyphosis; our most popular backrest. Suitable for all sizes.	
Select	<input type="checkbox"/>

Lateral Support Backrest	
Extra small: BRLSB-0-CM1-020 Small: BRLSB-0-CM1-120 Medium: BRLSB-0-CM1-220 Large: BRLSB-0-CM1-320	
Encouragement: encourages a good midline sitting position for users whose posture is flexible.	
Select	<input type="checkbox"/>

2 x Lateral Supports	
Code: MALLS-0-CM1-000X	
Accommodation: used under the Multi-adjustable Pillow Backrest cushions to provide moderate postural support. Suitable for all sizes.	
Select	<input type="checkbox"/>

Cocoon Backrest	
Code: COCBR-0-SC1-020	
This backrest gives the client added support and comfort. It can be adjusted by changing the position or amount of stuffing in each of the 9 cells.	
Select	<input type="checkbox"/>

Adjustable Lateral Support Backrest	
Extra small: BRMAL-0-CC1-000 Small: BRMAL-0-CF1-100 Medium: BRMAL-0-CF1-200 Large: BRMAL-0-CF1-300	
Management/correction: contoured foam backrest with adjustable velcro lateral supports.	
Select	<input type="checkbox"/>

Profiled Headrest	
Code: HRPF-0-CM1-120	
Suitable for users with reduced lateral head control. Fits over the shoulders. Suitable for all sizes.	
Select	<input type="checkbox"/>

Extras

Drop-down Armrests

Code: Side and fabric dependent

The Dropdown assists the client with side transfers. It is manual operation.



Select

Left right

Rise

Rise and tilt (std)

Code: STDRS-0-CMI-000

23° of tilt. The most frequently used rise setting. This provides a gentle, progressive movement.



Select

Medium rise

Code: MEDRS-0-CMI-000

14° of tilt. There is not a specific user group for this setting – it is normally used if 'Rise' or 'Flat rise' is inappropriate.



Select

Flat rise

Code: FTRS-0-CMI-000

2° of tilt and 254 mm (10") of rise, for users with Muscular Dystrophy who need to lock knees before transferring.



Select

Control

Right hand control (std)

Code: HSRH-0-CMI-000

Select



Left hand control

Code: HSLH-0-CMI-000

Select



Carer control

Code: HSCC-0-CMI-000

Select




Armrest overhang

Outside (std)

Code: OHEX-0-CMI-000

Provides a good grip to assist the user rolling from side to side for easier fitting of slings.

Select



Inside

Code: OHIN-0-CMI-000

Reduces width between armrests by approximately 38 mm (1.5"). Provides extra arm and elbow support if the user is 'pear shaped' or very thin.

Select



Configura Comfort

	Extra Small	Small	Small Tall	Medium	Medium Low Profile	Large	Large Low Profile
Overall chair width	700 mm (27.5")	750 mm (29.5")	750 mm (29.5")	800 mm (31.5")	800 mm (31.5")	850 mm (33.5")	850 mm (33.5")
Overall height	1080 mm (42.5")	1080 mm (42.5")	1110 mm (43.7")	1110 mm (43.7")	1080 mm (42.5")	1115 mm (43.9")	1080 mm (42.5")
Overall length	885 mm (34.8")	885 mm (34.8")	930 mm (36")	930 mm (36")	930 mm (36")	940 mm (37")	940 mm (37")
Overall chair depth with legs elevated	1565 mm (61.6")	1565 mm (61.6")	1660 mm (65.4")	1660 mm (65.4")	1660 mm (65.4")	1660 mm (65.4")	1660 mm (65.4")
Internal seat width	400 mm (16")	450 mm (18")	450 mm (18")	500 mm (20")	500 mm (20")	550 mm (22")	550 mm (22")
Floor to seat height	400 mm (16")	400 mm (16")	450 mm (18")	450 mm (18")	400 mm (16")	450 mm (18")	400 mm (16")
Internal seat depth Position 1	450 mm (18")	450 mm (18")	450 mm (18")	450 mm (18")	450 mm (18")	450 mm (18")	450 mm (18")
Internal seat depth Position 2	500 mm (20")	500 mm (20")	500 mm (20")	500 mm (20")	500 mm (20")	500 mm (20")	500 mm (20")
Backrest height from seat	710 mm (28")	710 mm (28")	710 mm (28")	710 mm (28")	710 mm (28")	710 mm (28")	710 mm (28")
Chair to wall/furniture	570 mm (22.4")	570 mm (22.4")	630 mm (24.8")	630 mm (24.8")	630 mm (24.8")	605 mm (23.8")	605 mm (23.8")
Backrest angle – std	100°	100°	100°	100°	100°	100°	100°
Backrest angle – recline	128°	128°	128°	128°	128°	128°	128°
Rise angle – std	23°	23°	23°	23°	23°	23°	23°
Rise angle – med rise	14°	14°	14°	14°	14°	14°	14°
Rise angle – flat	2°	2°	2°	2°	2°	2°	2°
Rise height at front of seat – std	510 mm (20.1")	510 mm (20.1")	545 mm (21.5")	545 mm (21.5")	510 mm (20.1")	545 mm (21.5")	510 mm (20.1")
Rise height at front of seat – med	570 mm (22.4")	570 mm (22.4")	620 mm (24.4")	620 mm (24.4")	570 mm (22.4")	620 mm (24.4")	570 mm (22.4")
Rise height at front of seat – flat	660 mm (26")	660 mm (26")	710 mm (28")	710 mm (28")	660 mm (26")	710 mm (28")	660 mm (26")
TIS angle	26°	26°	26°	26°	26°	26°	26°
Standard seat angle in neutral	6°	6°	6°	6°	6°	6°	6°
Forward tilt angle	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Armrest height	180 mm (7.1")	180 mm (7.1")	180 mm (7.1")	180 mm (7.1")	180 mm (7.1")	180 mm (7.1")	180 mm (7.1")
Weight capacity	160 kg (25 st)	160 kg (25 st)	160 kg (25 st)	160 kg (25 st)	160 kg (25 st)	160 kg (25 st)	160 kg (25 st)
Overall weight	65 kg (143 lbs)	65 kg (143 lbs)	68 kg (150 lbs)	68 kg (150 lbs)	68 kg (150 lbs)	71 kg (156 lbs)	71 kg (156 lbs)

Cleaning instructions

Clean and care for the fabric on a regular basis and it will maintain its condition and appearance.

The new generation of Microfibre cleaning cloths without soap are extremely effective for general care and maintenance. You can also wipe clean regularly with a damp cloth to remove dust particles and light soiling. It is recommended to vacuum the upholstery once a week.

Most stains can be removed by wiping clean. Remove spillages promptly (within 15 minutes) with cold water. For extreme soiling control use a 5% Sodium Hypochlorite (Bleach) solution.

Do not machine wash or dry clean.

Do not apply other chemicals such as polish, solvents or stain remover.

Integrated self-supply overlay (not available on extra small)

The integrated self-supply overlay comes as standard on all chairs. This allows for easy integration of existing cushions. The size of the aperture is 425 mm x 425 mm x 75 mm (17" x 17" x 3").

This means the height of the seat and armrests remain unchanged when using another cushion.



Step 1

Remove the backrest cushions.




Step 2

Unzip the cushion cover to expose the foam.



Step 3

Pull the foam out carefully, starting at the rear and cut the perforations at the front.



Step 4

This leaves the cut-out for another cushion to be inserted. Insert the cushion and re-zip the cover.

Accora



UK: Accora Ltd, Charter House, Barrington Road, Orwell, Cambridge SG8 5QP

T: +44 (0)1223 206 100 **E:** info@accora.care **W:** www.accora.care

IE: Accora Ltd, 38 Main Street, Swords, Co. Dublin, Ireland, K67 E0A2

T: +353 (0)1 695 0614 **E:** info@accora.care **W:** www.accora.care

® and ™ are trademarks of Accora Limited.

As our policy is one of continuous improvement, we reserve the right to modify designs without prior notice.

All information is correct at time of printing and is subject to change.