

Configura® Porter

Assessment Form



Areas highlighted in green are standard specification



Size

Chair Dimensions (all in inches)								
Width			Height		Depth (*Chair includes Depth Adjustment Kit)			
16" <input type="checkbox"/>	18" <input type="checkbox"/>	20" <input type="checkbox"/>	16" <input type="checkbox"/>	18" <input type="checkbox"/>	18" <input type="checkbox"/>	20" <input type="checkbox"/>	22" <input type="checkbox"/>	

** 2" Depth adjustment kit required



Pressure

Castellated	Visco	Alternating Air Cushion
<input type="checkbox"/>	Standard <input type="checkbox"/>	<input type="checkbox"/>



Posture

All options available from stock

Waterfall Backrest	2 x Laterals	Lateral Support Backrest	Adjustable Lateral Support
Standard <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Extras

Handset Control	
RHS (std)	<input type="checkbox"/>
LHS	<input type="checkbox"/>
Carer position	<input type="checkbox"/>

Riser Control	
Enabled	<input type="checkbox"/>
Disabled	<input type="checkbox"/>

Chair Assessment and Delivery Environmental Questionnaire

When carrying out an assessment please fill out the below form prior to ordering the chair.

Please give as much detail as possible.

Access

Is there parking for a large van?.....
 Are there steps to the property?.....
 Is it easy access to the property?.....

Internal

Are the doors and corridors wide enough for a chair to go through? Min. width for most chairs is 650mm.

 Does the chair have to go upstairs? If yes, please specify number of steps and if a stair lift is fitted.

 Is space being cleared for the chair?.....
 Is there a suitable power supply for the chair? Yes ☐ No ☐

Infection Control

Are there pets?.....
 Is the house smoke free?.....

Other

Does the driver need to be aware of any other points?.....

